

INDEX MAPS.

T. 9N, R. 2E. 2nd Mer.

	320	320	319	319	319	318						
323	6	327	5	332	4	336	3	340	2	346	1	318
	327		331		336		340		345		346	
322	7	326	8	331	9	335	10	339	11	345	12	318
	326		330		335		339		344		345	
322	18	326	17	330	16	334	15	339	14	344	13	318
	325		330		334		338		343		344	
322	19	325	20	329	21	334	22	338	23	343	24	317
	324		329		333		338		342		342	
321	30	324	29	329	28	333	27	337	26	342	25	317
	324		328		332		337		341		341	
321	31	323	32	328	33	332	34	336	35	341	36	317
	315		315		315		316		316		316	

T. 10N, R. 2E. 2nd Mer.

	354		354		354		354		353		353	
356	6	381	5	374	4	370	3	365	2	361	1	352
	381		380		374		369		365		360	
356	7	380	8	373	9	369	10	364	11	360	12	352
	379		379		373		368		364		360	
356	18	379	17	373	16	368	15	364	14	359	13	352
	378		378		372		368		363		359	
355	19	377	20	372	21	367	22	363	23	358	24	351
	377		376		371		367		362		358	
355	30	376	29	371	28	366	27	362	26	358	25	351
	376		375		370		366		362		357	
355	31	375	32	370	33	366	34	361	35	357	36	351
	350		360		349		349		349		349	

[P] The figures on the lines refer to the page.

Township N. 10. North, Range N. 20. E. 2. Mer. Indiana

South Boundary

Met On S. boundary of Sec. 36 T10N. R2E.
 40.00 Let the g. Sec. post, from which
 a Beech 12 in. diam. bear S74E 17 lks. dist. of
 a Do 9 " " " N33E 20 " "
 47.34 an Oak 18 in. diam.
 80.00 Let a post cor. to Sec. 35 & 36 from which
 a Sugar 12 in. diam. bear S77E 3 lks. dist. of
 a Beech 7 " " " N66W 9 " "
 Over broken land, timber Beech, Oak &c

Met On S. boundary of Sec. 35, T10N. R2E.
 40.00 Let the g. Sec. post, from which
 a Hickory 24 in. diam. bear S51E 24 lks. dist. of
 a Beech 14 " " " N14W 20 " "
 64.32 a Beech 20 in. diam.
 80.00 Let a post cor. to Sec. 34 & 35, from which
 an Oak 14 in. diam. bear N47W 13 lks. dist. of
 a Do 10 " " " S73E 37 " "
 Over brushy, broken land timber Oak & beech

Met On S. boundary of Sec. 34, T10N. R2E.
 39.50 a Brook 10 lks. wide C. N. E.
 40.00 Let the g. Sec. post, from which
 a Sugar 8 in. diam. bear N52E 3 lks. dist. of
 a Do 6 " " " N73W 23 " "
 59.78 a B. Oak 24 " "
 80.00 Let a post cor. to Sec. 33 & 34, from which
 a Hickory 10 in. diam. bear S3W 12 lks. dist. of
 a Beech 14 " " " N53W 11 " "
 Over brushy broken land, timber Oak &c.

Met On S. boundary of Sec. 33, T10N. R2E

T10N R2E, 2^d. Mer. Indiana

- 15.00 a W. Oak 24 in. dia.
 18.59 a Brook 4 lks wide Cr. S. W.
 40.00 At the q. Sec. post. from which
 an Ironwood 8 in. dia. bears S 82 E 21 lks. dist. of
 a Sugar 9 " " " S 87 W 24 " "
 62.60 a Maple 12 " "
 68.00 a Brook 7 lks wide Cr. S. W.
 80.00 At a post Cor. to Sec. 32 & 33, from which
 Sugar 13 in. dia. bears N 10 E 13 lks. dist. of a
 Lum 16 " " " S 4 E 7 " "
 Over rolling land Oak &c.
-

- Attest On S. boundary of Sec. 32, T10N, R2E.
 36.00 a Beech 14 in. dia.
 40.00 At the q. Sec. post, from which
 a Walnut 20 in. dia. bears S 75 E 45 lks. dist. of
 a Beech 20 " " " N 62 W 10 " "
 45.40 a Creek 50 lks. wide Cr. North
 60.14 a W. Oak 18 in. dia.
 80.00 At a post Cor. of Sec. 31 & 32, from which
 a Lym 20 in. dia. bears N 26 W 4 lks. dist. of
 an Ash 14 " " " S 75 E 18 " "
 Over rolling land, timber, Beech, Oak &c.
-

- Attest On S. boundary of Sec. 31, T10N, R2E.
 14.74 a Beech 18 in. dia.
 40.00 At the q. Sec. post, from which
 a W. Oak 14 in. dia. bears S 22 W 8 lks. dist. of
 a Beech 13 " " " N 75 E 27 " "
 54.09 a Lum 24 " "
 62.50 a Brook 7 lks. wide Cr. S. W.
 69.70 Intersected the N & S. line between Ranges
 1 & 2 E, Town 9 & 10 N, at the Cor. from which

T10N R2E 2^d Mer. Indiana

a Sugar 12 in. dia. bray N15W13lk. dist. of

a Beech 12 " " " S24E32 " "

Over level land, timber Beech &c.

June 21st 1819.

East Boundary val. 6.45! E

North On E. boundary of Sec. 36, T10N. R2E.

40.00 Set the q. Sec. post, from which

a Beech 8 in. dia. bray N19W17lk. dist. of

a Do 10 " " " S22W9 " "

48.50 a Creek 25 lks. wide Cr. N.W.

58.80 an Elm 12 in. dia.

80.00 Set a post Cor. to Sec. 25 & 36, from which

a Spanish Oak 36 in. dia. bray S6E32lk. dist. of

a Beech 20 " " " N50E15 " "

Over broken land, timber Beech, Oak &c.

North On E. boundary of Sec. 25, T10N. R2E.

2.62 a Poplar 40 in. dia.

40.00 Set the q. Sec. post, from which

a Hickory 18 in. dia. bray S83W11lk. dist. of

a Beech 12 " " " S55E15 " "

50.00 a Beech 20 " "

65.00 a Brook 15 lks. wide Cr. N.E.

80.00 Set a post Cor. to Sec. 24 & 25, from which

a W. Oak 16 in. dia. bray S73E41lk. dist. of

a Beech 8 " " " N7E35 " "

Over rolling land, timber Oak, Beech &c.

North On E. boundary of Sec. 24, T10N. R2E.

9.74 a Sugar 20 in. dia.

40.00 Set the q. Sec. post, from which

a Beech 14 in. dia. bray S21E9lk. dist. of

T10N-R2E, 2^d. Mer. Indiana

a Beech 10 in. diam. bray N60W 20 lks. dist. of
 53.76 a Beech 12 " "
 70.00 a Creek 50 lks. wide Cr. S. W.
 80.00 Set a post Cor. to Sec. 13 of 24, from which
 a Beech 10 in. diam. bray S40E 8 lks. dist. of
 a Hickory 7 " " " N20E 17 " "
 Over broken land, timber Oak, Beech &c.

North On E. boundary of Sec. 13, T10N-R2E.
 12.65 a Hickory 14 in. diam.
 40.00 Set the q. Sec. post from which
 a ——— 14 in. diam. bray S3E 30 lks. dist. of
 a Beech 6 " " " N5E 34 " "
 53.00 an Ash 30 " "
 67.74 a Brook 10 lks. wide Cr. N. E.
 80.00 Set a post Cor. to Sec. 12 of 13, from which
 a Beech 11 in. diam. bray S17E 23 lks. dist. of
 a Ho 9 " " " N14E 25 " "
 Over rolling land, timber, Beech, Sugar Oak &c.

North On E. boundary of Sec. 12, T10N-R2E.
 35.50 a Beech 20 in. diam.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. diam. bray N63E 12 lks. dist. of
 a Ho — " " " S13E 6 " "
 80.00 Set a post Cor. to Sec. 11 of 12, from which
 a Beech 14 in. diam. bray — 28N 6 lks. dist. of
 a Sugar 14 " " " S72E 16 " "
 Over rolling land, timber, Beech, Sugar &c

North On E. boundary of Sec. 1, T10N-R2E.
 24.00 a Brook 5 lks. wide Cr. S. E.
 29.74 a Beech 20 in. diam. in the line

T10N R2E, 2^d. Mer. Indiana

- 40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bran N 68 E 12 1/4. dist. 8
a Do 12 " " " South 37 " "
- 52.59 a Beech 20 " "
- 61.00 a Brook 7 1/2 in. wide Cr. N.E.
- 86.87 At a post Cor. to Township N. 10 of N. N. Range
N. 2 of 3 East, from which
a Hickory 15 in. dia. bran S 57 E 25 1/4. dist. 8
a Do 12 " " " S 75 W 12 " "
Over broken land, timber Oak, Beech, Sugar &c.

North Boundary

- West On S. boundary of Sec. 36, T11N. R2E.
40.00 At the q. Sec. post, from which
a Beech 8 in. dia. bran N 30 W 6 1/4. dist. 8
a Do 9 " " " N 37 E 16 " "
- 80.00 At a post Cor. to Sec. 35 of 36, T11N. R2E, from which
a P. Oak 20 in. dia. bran N 51 E 25 1/4. dist. 8
a Beech 8 " " " N 30 W 5 " "
Over broken land, timber Beech, Oak &c.

- West On S. boundary of Sec. 35, T11N. R2E.
16.15 a Brook 6 1/2 in. wide Cr. N.
38.00 a Do 6 1/4. " " N.
40.00 At the q. Sec. post, from which
a Beech 18 in. dia. bran S 88 E 21 1/4. dist. 8
a Do 12 " " " S 87 W 22 " "
- 70.41 a Brook 7 1/2 in. wide Cr. N.
80.00 At a post Cor. to Sec. 34 & 35, T11N. R2E, from which
a Hickory 14 in. dia. bran S 71 W 26 1/4. dist. 8
a Poplar 18 " " " N 76 E 45 " "
Over broken land, timber Oak, beech &c.

T10 N. R2 E. 2nd Mer. Indiana

West On S. boundary of Sec. 34, T11 N. R2 E.
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bray N7W10 lks. dist. of
 a Sugar 18 " " " S33 E37 " "
 80.00 Set a post Cor. to Secs. 33 & 34, T11 N. R2 E, from which
 an Ash 12 in. dia. bray N39W17 lks. dist. of
 a Dogw. 7 " " " N50 E6 " "
 Over broken land, timber Oak, Beech &c and Spruce &c.

West On S. boundary of Sec. 33, T11 N. R2 E.
 40.00 Set the q. Sec. post, from which
 a Hickory 20 in. dia. bray N71 E20 lks. dist. of
 a Beech 8 " " " S52 E8 " "
 80.00 Set a post Cor. to Secs. 32 & 33, T11 N. R2 E, from which
 a Sugar 18 in. dia. bray S60W18 lks. dist. of
 a Beech 9 " " " S82 E23 " "
 Land Timber &c. same as on the last mile

West On S. boundary of Sec. 32, T11 N. R2 E.
 30.50 a Brook 10 lks. wide C.S.M.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bray S9W13 lks. dist. of
 a Do 6 " " " N70W5 " "
 80.00 Set a post Cor. to Secs. 31 & 32, T11 N. R2 E, from which
 a W. Oak 20 in. dia. bray S37 E5 lks. dist. of
 a Hickory 13 " " " N52 E7 " "
 Over broken land, timber Oak, Beech &c.

West On S. boundary of Sec. 31, T11 N. R2 E.
 40.00 Set the q. Sec. post, from which
 an Ash 13 in. dia. bray N62 E21 lks. dist. of
 a — 14 " " " S73W47 " "
 42.50 a Brook 15 lks. wide C.S.M.

T10 N. R2 E. 2^d Mer. Indiana

75.91 Intersected the Range line between Ranges
1 & 2 E, Town 10 N. at the corner of Sec.
1, 6, 31 & 36, Over broken land, timber Oak,
Beech &c. June 30th 1819.

West Boundary var. 6.45' E.

North On E. boundary of Sec. 36, T10 N. R1 E

14.50 a Beech 14 in. diam.

30.50 a Creek 100 yds. wide C. & W.

40.00 Set the q. Sec. post, from which
a Beech 10 in. diam. bears S 30 W 19 yds. dist. of
a Do 10 " " " N 7 W 24 " "

58.50 a W. Oak 18 " "

80.00 Set a post Cor. to Sec. 25 & 36, T10 N. R1 E, from which
a Beech 10 in. diam. bears S 29 E, 28 yds. dist. of
a Hickory 10 " " " S 75 W 4 " "
Over level land timber beech &c.

North On E. boundary of Sec. 25, T10 N. R1 E.

6.50 a Poplar 40 in. diam.

40.00 Set the q. Sec. post, from which
a Beech 13 in. diam. bears N 44 W 5 yds. dist. of
a Dogwood 7 " " " S 25 E 22 " "

57.12 a Beech 18 " "

80.00 Set a post Cor. to Sec. 24 & 25, T10 N. R1 E, from which
a Gum 22 in. diam. bears S 37 E 8 yds. dist. of
a Beech 14 " " " N 11 E 19 " "
Over rolling land, timber Oak, Beech &c.

North On E. boundary of Sec. 24, T10 N. R1 E

15.00 a Brook 8 yds. wide C. & S. E.

28.00 a Beech 14 in. diam.

40.00 Set the q. Sec. post, from which

T10N R2E 2nd Mer. Indiana

- a Beech 14 in. dia. bray S 8 E 18 lks. dist. of
 a Walnut 12 " " " N 33 E 37 " "
 60.00 a Brook 10 lks. wide C. S. E.
 62.05 a Beech 14 in. dia. in the line
 80.00 Set a post Cor. to Sec. 13 & 24, T10N. R1E, from which
 a Beech 18 in. dia. bray N 42 W 18 lks. dist. of
 a Poplar 36 " " " S 45 W 17 " "
 Over broken land, timber Oak, Beech &c.

- North On E. boundary of Sec. 13, T10N. R1E.
 40.00 Set the q. Sec. post, from which
 a Spruce 14 in. dia. bray N 1 E 28 lks. dist. of
 61.50 a Brook 8 lks. wide C. S. E.
 80.00 Set a post Cor. to Sec. 12 & 13, T10N. R1E, from which
 an Oak 13 in. dia. bray N 8 W 11 lks. dist. of
 a Do 7 " " " S 54 W 6 " "
 Over bushy broken land, timber Oak &c.

- North On E. boundary of Sec. 12, T10N. R1E.
 23.00 a Brook 5 lks. wide C. S. E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bray S 19 E 44 lks. dist. of
 a Dogwood 6 " " " S 82 W 6 " "
 80.00 Set a post Cor. to Sec. 1 & 12, T10N. R1E, from which
 a W. Oak 8 in. dia. bray N 14 W 3 lks. dist. of
 a Do 6 " " " S 46 W 12 " "
 Over broken bushy land, timber Oak &c.

- North On E. boundary of Sec. 1, T10N. R1E.
 25.00 a W. Oak 40 in. dia. in the line
 40.00 Set the q. Sec. post from which
 a W. Oak 24 in. dia. bray S 35 W 64 lks. dist. of
 no more Convenient.

T10N R2E 2^d Mer. Indiana

357

52.38 a W. Oak 40 in. dia. in the line
 85.00 Set a post corner of Township N. 10, 11 N. Range
 N. 1 & 2 E, from which
 a Beech 10 in. dia. bears N 68° W 12 lks. dist. &
 a Sugar 12 " " " S 81° E 18 " "
 Over broken land, timber Oak &c. June 24th 1819
 Surveyed by John M. Donald, L. S.

Subdivision. Jan. 31st 1820

North Between Sec. 35 & 36, T10N R2E 2^d Mer.

18.00 a B. Oak 28 in. dia. in the line

40.00 Set the q. Sec. post, from which

a W. Oak 28 in. dia. bears S 63° W 46 lks. dist. &

a Hickory 22 " " " N 77° E 28 " "

61.50 a Hickory 8 " " in the line

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36 from which

a Beech 5 in. dia. bears S 76° W 17 lks. dist. &

a No 12 " " " N 32° E 11 " "

Sand hilly & poor, timber W & B. Oak, Beech &
 Hickory, undug. Ironwood & Dogwood.

East On/Random between Sec. 25 & 36, T10N R2E.

27.50 a Brook 50 lks. wide runs N 80° W

40.00 Attempt q. Sec. post

77.20 Intersected the E. boundary 30 lks. N. of corner

Level 2^d cate, land, timber W. Oak, Beech
 & Sugar, undergrowth Spruce &c

West On true line between Sec. 25 & 36, T10N R2E

39.90 Set q. Sec. post at average dist. from which

a Sugar 7 in. dia. bears S 34° E 24 lks. dist. &

a Gum 12 " " " N 11° W 12 " "

77.20 to Sec. Corner.

10 N. R2 E. 2nd Mer. Indiana

North Between Secs. 25 & 26, 10 N. R2 E.

12.50 a Stream 50 lks. wide runs West

18.92 a Beech 8 in. dia. in the line

40.00 Let the gr. Sec. post, from which

a Sugar 7 in. dia. bears S 72 E 11 lks. dist. &

a Beech 7 " " " N 29 W 9 " "

55.70 a Beech 26 " " in the line

80.00 Let a post Cor. to Secs. 23, 24, 25 & 26, from which

a Beech 5 in. dia. bears N 89 E 29 lks. dist. &

an Elm 15 " " " S 60 W 49 " "

Uneven 2nd rate land, timber poplar, W. Oak,
Sugar & Beech, underg. th Logwood & Spice

East On Random between Secs. 24 & 25, 10 N. R2 E.

40.00 Let temp. gr. Sec. post

79.68 Intersected the E. boundary 38 lks. S. of Corner

Uneven 2nd rate land, timber W. Oak, Poplar,

Sugar & Beech, underg. th Logwood, Iron & Spice

West On true line between Secs. 24 & 25, 10 N. R2 E.

39.84 Let the gr. Sec. post at average dist. from which

a Beech 7 in. dia. bears S 10 E 35 lks. dist. &

a Do 10 " " " N 5 W 11 " "

79.68 to Sec. Corner February 1st 1820

North Between Secs. 23 & 24, 10 N. R2 E.

6.50 a Brook 40 lks. wide S 40 W

24.08 a Poplar 48 in. dia. in the line

40.00 Let the gr. Sec. post, from which

a Beech 14 in. dia. bears N 79 E 14 lks. dist. &

a Sugar 12 " " " S 80 W 36 " "

60.67 a Beech 7 " " in the line

80.00 Let a post Cor. to Secs. 13, 14, 23 & 24, from which

T10N R2E S. Mer. Indiana

a Beech 7 in. dia. brang S35 E 14 lks. dist. of
 a Maple 14 " " " N59 W 33 " "
 Uneven 2^d. rate land, timber Poplar, Sugar & Beech,
 undergth Spice &c.

East On Random between Sec. 13 & 24, T10N, R2E.

19.50 a Brook 8 lks. wide Cr. South

40.00 Set temp^y. of Sec. post

42.50 a Brook 10 lks. wide Cr. S15 E.

79.90 Intersected the E. boundary 8 lks. N. of Corner.

Land uneven 2^d. rate, timber Poplar, Sugar,
 & Beech, undergth Spice & Ironwood.

West On true line between Sec. 13 & 24, T10N, R2E.

39.95 Set the of. Sec. post at average dist. from which

a Sugar 5 in. dia. brang N55 W 13 lks. dist. of

a Beech 13 " " " S10 E 2 " "

79.90 to Sec. Corner

North Between Sec. 13 & 14, T10N, R2E.

15.63 a Beech 26 in. dia. in the line

40.00 Set the of. Sec. post, from which

a B. Oak 15 in. dia. brang S89 E 23 lks. dist. of

a Beech 8 " " " S74 W 40 " "

54.50 a Brook 6 lks. wide Cr. S40 W

52.50 Same 6 " " " S35 E.

60.15 a Beech 7 in. dia. in the line

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which

a Hickory 11 in. dia. brang S15 E 14 lks. dist. of

a Do 12 " " " S83 W 11 " "

Land uneven & 2^d. rate, timber, W. Oak, Poplar,
 Beech & Hickory, undergth Ironwood & Spice

T10N-R2E2nd Indiana

East On Random 12 & 13, T10N. R2E.

40.00 At temp^y. q^r. Sec. post

40.10 a Brook 12 lks. wide run S10 E.

80.00 Intersected the East boundary 15 lks. S. of Corner
Land uneven & 2nd rate, timber, Poplar, Sugar
& Beech, undugth. Spice.

West On true line between Sec. 1, 12 & 13, T10N. R2E.

40.00 Set q^r. Sec. post at average dist. from which
a Sugar 10 in. dia^r. bran S79°15 lks. dist. &
an Elm 9 " " " S47°E 35 " "

80.00 to Sec. Corner Feb. 2nd 1820

North Between Sec. 1, 11 & 12, T10N. R1E.

14.85 a P. Oak 26 in. dia^r. in the line

34.80 a Brook 8 lks. wide C^r. S70 E.

40.00 At the q^r. Sec. post, from which
a Sugar 7 in. dia^r. bran S20°129 lks. dist. &
a Beech 13 " " " S26°W16 " "

57.75 an Ash 18 " " in the line

61.70 a Brook 6 lks. dist. wide S60 E

80.00 At a post cor. to Sec. 1, 2, 11, 12, from which
a Sugar 10 in. dia^r. bran S61°E 22 lks. dist. &
a Do 10 " " " S89°W10 " "
Land uneven & 2nd rate, timber Poplar, Hickory
P. Oak & Sugar. undugth. Ironwood, Dogw. &c.

East On Random between Sec. 1 & 12, T10N. R2E.

40.00 At temp^y. q^r. Sec. post

80.00 Intersected the E. boundary 8 lks. N. of Corner
Land uneven & 2nd rate, timber Poplar, Hickory
Sugar & Beech, undugth. Spice

West On true line between Sec. 1 & 12, T10N. R2E.

T10N R2E 2^d Mer. Indiana

40.00 Set of Sec. post at average dist. from which
 a Beech 10 in. dia. bear S 51 E 25 lks. dist. of
 a Do 10 " " " N 86 W 30 " "
 80.00 to Sec. Corner

North Between Sec. 1 & 2, T10N R2E, 2^d Mer.

25.75 a Hickory 13 in. dia. in the line

40.00 Set the of Sec. post, from which
 a Poplar 12 in. dia. bear S 21 E 26 lks. dist. of
 an Ash 7 " " " N 36 W 19 " "

69.04 a Beech 5 " " in the line

86.65 Intersected the N. boundary 82 lks. N. of
 Cor. to Sec. 35 & 36 in the adjacent township
 Set a post. Cor. to Sec. 1 & 2, from which
 a Beech 8 in. dia. bear N 71 1/2 E 11 lks. dist. of
 a W. Oak 12 " " " S 39 E 29 " "
 Land broken soil 2^d rate, timber Poplar, Sugar,
 Beech & Hickory, undergth Spice & Logwood

February 3^d 1820

North Between Sec. 34 & 35, T10N R2E.

21.50 a Gum 14 in. dia. in the line

40.00 Set the of Sec. post, from which
 a W. Oak 12 in. dia. bear S 36 W 29 lks. dist. of
 a R. Oak 14 " " " S 53 E 15 " "

54.10 a Sugar 14 in. dia. in the line

57.50 a stream 70 lks. wide E. of S 80 W

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 5 in. dia. bear S 83 1/2 W 32 lks. dist. of
 a Do 14 " " " N 79 E 32 " "

Land hilly, broken & poor, timber W & R. Oak,
 Hickory & Beech, undergth W. Oak, Hickory & Hornwood.

110 N. 122 E. 2^d. Mer. Indiana

East On Random between Sec. 26 & 35, 110 N. 122 E.

9.00 a Brook 7 lks. wide Cr. 110 E.

23.10 a Do 10 " " " S 30 W

32.50 a Stream 70 lks. " " S 5 E.

40.00 Set temp. of See. post

64.50 a Brook 6 lks. wide Cr. N 10 W.

79.50 Intersected the N & S. line 40 lks. N. of the Corner
Land level of 2^d. rate, timber Beech, Sugar & Hick.
undergrowth Spruce.

West On true line between Sec. 26 & 35, 110 N. 122 E.

39.75 Set of See. post at average dist. from which
a Sugar 11 in. diam. bears N 89 E 34 lks. dist. of
a Beech 9 " " " N 44 W 17 " "

79.50 to See. Corner.

North Between Sec. 26 & 27, 110 N. 122 E.

20.00 a Beech 14 in. diam. in the line

40.00 Set the of See. post, from which
a Beech 11 in. diam. bears 110 E 60 lks. dist. of
a Do 9 " " " N 83 W 11 " "

52.20 a Sugar 10 " " in the line

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
a Walnut 18 in. diam. bears 122 E 9 lks. dist. of
a Beech 7 " " " N 19 W 18 " "

Land uneven of 2^d. rate, timber W. Oak, Sugar
& Beech, undergth. Spruce

East On Random between Sec. 23 & 26, 110 N. 122 E.

21.00 a Brook 20 lks. wide Cr. 110 E.

40.00 Set temp. of See. post

67.10 a Brook 8 lks. wide S 80 W

78.00 a Do 40 lks. " " S 40 W

T10N R2E 2nd Mer. Indiana

80.00 Intersected the N & S. line 52 lks. N. of Corner
Land uneven & 2nd rate, timber W. Oak, Sugar,
Poplar & Beech, undergth Ironwood & Spice

West Out true line between Sec^s 23 & 26, T10N R2E.

40.00 Set q^r. Sec post at average dist. from which
a W. Oak 26 in. diam. bran 189 E 50 lks. dist. of
a Sugar 13 " " " N 67 W 50 " "

80.00 to Sec. Corner

North Between Sec^s 22 & 23, T10N R2E

33.10 a Poplar 48 in. diam. in the line

40.00 Set the q^r. Sec. post, from which
a W. Oak 13 in. diam. bran 14 1/2 E 62 lks. dist. of
a Beech 7 " " " N 81 W 9 " "

57.18 a W. Oak 8 " " in the line

80.00 Set a post Cor. to Sec^s 14, 15, 22 & 23, from which
a W. Oak 9 in. diam. bran 116 E 3 lks. dist. of
a Do 15 " " " N 16 W 26 " "

Land uneven & 2nd rate, timber, W. Oak & B. Oak
Hickory & Beech, undergth Dogwood & Ironwood

East Out Random between Sec^s 14 & 23, T10N R2E

33.00 a Brook 6 lks. wide C. S. 140 E.

39.20 a Do 12 " " " N 15 W

40.00 Set temp^y q^r. Sec. post

79.75 Intersected the N & S. line 22 lks. N. of Corner.
Land timber &c. same as on the last mile.

West Out true line between Sec^s 14 & 23, T10N R2E.

39.87 1/2 Set q^r. Sec. post, at average dist. from which
a Lyeamore 18 in. diam. bran 152 W 56 lks. dist. of
a Do 12 " " " N 2 W 41 " "

W. N. R. E. 2^d Mer. Indiana

79.75 to Sec. Corner. Feb. 4th 1820

North Between Sec. 14 & 15, T10 N. R. 2 E.

17.10 a Sugar 10 m. dist. in the line

40.00 Set the g. Sec. post, from which

a Beech 15 m. dist. bear S 23rd W 18 lks. dist. &

a Gum 12 " " " S 53rd W 26 " "

51.68 a W. Oak 24 " " in the line

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

a Beech 30 m. dist. bear S 38th W 12 lks. dist. &

a Beech 6 " " " S 68th E 19 " "

Land uneven & 2nd rate, timber W & B. Oak, hickory,

Sugar & Beech, undergth Ironwood & Dogwood.

East On Random between Sec. 11 & 14, T10 N. R. 2 E.

40.00 Set temp^y. g. Sec. post

43.50 a Brook 6 lks. wide Cr. S 40 E.

51.00 a do 6 lks. " " S 5 E.

79.68 Intersected the N & S line 19 lks. N. of corner

Land timber &c. same as on the last mile

West On true line between Sec. 11 & 14, T10 N. R. 2 E.

39.84 Set g. Sec. post at average dist. from which

a Poplar 26 m. dist. bear N 65th E 31 lks. dist. &

a Sugar 5 " " " S 68th W 9 " "

79.68 to Sec. Corner.

North Between Sec. 10 & 11, T10 N. R. 2 E.

12.90 a W. Oak 22 m. dist. in the line

31.50 a Brook 8 lks. wide Cr. S 35 W.

39.50 a do 8 lks. " " S 50 E.

40.00 Set the g. Sec. post, from which

a Beech 10 m. dist. bear S 81st E 37 lks. dist. &

T10 N. R2 E. 2^d Mer. Indiana

a Beech 18 in. dia. bear N79 W 23 lks. dist.
 40.10 a Brook 8 lks. wide Cr. S20 W
 40.75 Same 8 lks. " " S40 E
 53.85 a Hickory 10 in. dia. in the line
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 11 in. dia. bear S26 W 32 lks. dist. of
 a do 13 " " " N33 W 41 " "
 Land uneven & 2^d rate, timber, Poplar, Sugar &
 Beech, undergth Logwood & Spice

East On Random between Sec. 2 & 11, T10 N. R2 E
 40.00 Set temp^y. of Sec. post
 69.50 a Brook 6 lks. wide Cr. S30 E.
 80.00 Intersected the N & S. line 33 lks. S. of Corner
 Uneven 2^d rate land, timber beech, poplar & sugar

West On true line between Sec. 2 & 11, T10 N. R2 E.
 40.00 Set of Sec. post at average dist. from which
 a Beech 12 in. dia. bear N83 W 32 lks. dist. of
 a do 9 " " " S59 E 3 " "
 80.00 to Sec. Corner

North Between Sec. 2 & 3, T10 N. R2 E, 2^d Mer.
 26.50 a Beech 10 in. dia. in the line
 40.00 Set the of Sec. post, from which
 a Hickory 14 in. dia. bear N64 W 11 lks. dist. of
 a Poplar 36 " " " N21 E 30 " "
 60.35 a Hickory 15 " " in the line
 87.25 Intersected the N. boundary 200 lks. N. of Cor.
 Set a post Cor. to Sec. 2 & 3, from which
 a P. Oak 24 in. dia. bear S81 E 9 lks. dist. of
 a W. Oak 13 " " " West 30 " "
 Land broken Soil 2^d rate Poplar, sugar, Hick^y, & Beech

W. N. R. D. E. D. Mer. Indiana

February 5th 1820

North Between Secs. 33 & 34, T10 N. R2 E

18.50 a Beech 11 in. dia. stand in the line

40.00 at the q. Sec. post, from which

a W. Oak 14 in. dia. bran N 23 E 14 in. dist. &

a No 15 " " " N 10 E 3 " "

57.00 a Stream 100 lbs. wide N 30 W

61.50 a Beech 26 in. dia. in the line

80.00 at a post Cor. to Secs. 27, 28, 33 & 34, from which

a Sugar 14 in. dia. bran N 71 E 4 in. dist. &

a Beech 6 " " " S 59 W 6 " "

Land hilly & poor, timber W. Oak & Beech
undergrowth, Dogwood & Hornwood.

East On Random between Secs. 27 & 34, T10 N. R2 E,

33.50 a Brook 20 lbs. wide Cr. S 20 E

40.00 at temp. q. Sec. post

79.64 Intersected the N & S. line 86 lbs. S. of corner.

Land uneven & sterile, timber Poplar, Sugar,
& Beech, undergth. Dogwood, Hornwood & Spice

West On true line between Secs. 27 & 34, T10 N. R2 E.

39.82 at q. Sec. post, from which

a Beech 5 in. dia. bran N 24 E 20 lbs. dist. &

a W. Oak 4 " " " S 59 W 14 " "

79.64 to Sec. corner.

North Between Secs. 27 & 28, T10 N. R2 E.

17.60 a Beech 9 in. dia. in the line

40.00 at the q. Sec. post, from which

a Beech 13 in. dia. bran N 15 1/2 W 14 in. dist. &

a No 15 " " " S 41 E 31 " "

55.60 a Beech 12 " " in the line

T10.N-R2E.2nd Mer. Indiana

68.50 a Brook 10 lks. wide Cr. S60W
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Sugar 12 in. dia. br. N53W33 lks. dist. of
 a Do 6 " " " S54E11 " "
 Land Broken Soil 2nd rate, timber Poplar, Sugar,
 Beech, undergth Logwood & Ironwood

East On Random between Sec. 22 & 27, T10.N-R2E.
 3.00 a Brook 10 lks. wide run South
 33.00 a Do 10 lks. " " S45E
 40.00 Set temp^y. q. Sec. post
 62.50 a Brook 20 lks. wide Cr. S5E.
 79.90 Intersected the N & S. line 58 lks. S. of Corner.
 Land uneven & 2nd rate, timber, Poplar, White Oak,
 Beech & Sugar, undergth Ironwood Spruce &c

West On true line between Sec. 22 & 27, T10.N-R2E.
 39.95 Set q. Sec. post at average dist. from which
 a Beech 9 in. dia. br. N11W35 lks. dist. of
 a W. Oak 18 " " " N11E58 " "
 79.90 to Sec. Cor.

North Between Sec. 21 & 22, T10.N-R2E 2nd Mer.
 20.60 a Beech 7 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a B. Oak 30 in. dia. br. S86E54 lks. dist. of
 a Sugar 9 " " " S77W22 " "
 54.35 a Maple 12 " " in the line
 62.00 a Brook 10 lks. wide Cr. S5E.
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 10 in. dia. br. S55W39 lks. dist. of
 a Hickory 12 " " " S21E36 " "
 Land timber &c. same as on the past mile

Plot R2 E. 2nd Mer. Indiana

East On Random between Sec. 15 & 22, T10 N. R2 E

40.00 Set temp. of Sec. post

45.90 a Brook 15 lbs. wide R. 15 W

79.80 Intersected the N & S. line 32 lbs. S. of Corner
Land uneven & 2nd rate, timber W. Oak, Beech,
& Sugar, underth Ironwood & Hornwood

West On true line between Sec. 15 & 22, T10 N. R2 E.

39.90 Set of Sec. post at average dist. from which
a W. Oak 18 in. dia. bran S 2 E 21 lbs. dist. of

a do 20 " " " N 40 E 10 " "

79.80 to Sec. Corner. February 8th 1820

North Between Sec. 16 & 15, T10 N. R2 E.

28.60 a Beech 10 in. dia. in the line

40.00 Set the of Sec. post, from which

a Hickory 13 in. dia. bran S 45 W 46 lbs. dist. of

a do 18 " " " N 81 E 45 " "

54.00 a W. Oak 20 " " in the line

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which

a Sugar 13 in. dia. bran S 32 E 7 lbs. dist. of

a do 12 " " " N 88 W 21 " "

Land uneven & 2nd rate, timber W. B. Oak, Sugar,
& Hickory, underth Ironwood & Dogwood

East On Random between Sec. 10 & 15, T10 N. R2 E.

23.70 a Brook 20 lbs. wide S 20 E

40.00 Set temp. of Sec. post

65.50 a Brook 10 lbs. wide S 30 W

79.82 Intersected the N & S. line 18 lbs. N. of the Corner

Land uneven & 2nd rate, timber Poplar, Sugar &
Beech, underth Ironwood & Dogwood

W. N. R. & E. 2nd Mer. Indiana

West On true line between Sec. 10 & 15, T10 N. R2 E.
 39.91 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia., bray N 44 W 7 lks. dist. of
 a Sugar 6 " " " N 60 E 11 " "
 79.82 to Sec. Corner.

North Between Sec. 9 & 10, T10 N. R2 E. 2nd Mer.

17.04 a Hickory 7 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 10 in. dia., bray N 78 W 13 lks. dist. of
 a Do 8 " " " N 43 E 9 " "
 41.50 a Brook 6 lks. wide run East
 48.50 a Do 6 lks. " " S 30 E
 53.70 a W. Oak 8 in. dia. in the line
 80.00 Set a post cor. to Sec. 3, 4, 9 & 10, from which
 an Elm 11 in. dia., bray S 2 W 54 lks. dist. of
 a Beech 12 " " " N 13 W 13 " "
 Land hilly & poor, timber W & B. Oak & hick.
 undergth Ironwood & Logwood

East On Random between Sec. 3 & 10, T10 N. R2 E

13.30 a Brook 8 lks. wide C. S. S 5 E.
 19.50 a Do 6 " " " S 5 W
 40.00 Set temp. q. Sec. post
 42.00 a Brook 8 lks. wide C. S. S 40 W.
 79.62 Intersected the N & S. line 83 lks. N. of the corner
 Land hilly soil 2nd rate, timber W & B. Oak, hick.
 Sugar, undergth Ironwood & Logwood

West On true line between Sec. 3 & 10, T10 N. R2 E

39.81 Set q. Sec. post at average dist. from which
 a Beech 6 in. dia., bray N 19 W 21 lks. dist. of
 an Elm 10 " " " S 26 E 39 " "

T10 N. R2 E. 2^d Mer Indiana

79.60 to Section Corner.

North Between Secs. 36 & 41, T10 N. R2 E. 2^d Mer.
 26.00 a Brook 8 lks. wide running S 20 E
 27.75 a Beech 11 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 in. diam. bearing S 26 E 35 lks. dist. of
 a do 11 " " " N 25 W 18 " "
 56.50 a Hickory 14 " " in the line
 84.00 Intersected the N. boundary 380 lks. N. of the
 Corner, set a post Cor. to Secs. 36 & 41, from which
 a Sugar 4 in. diam. bearing S 88 W 10 lks. dist. of
 an Ash 20 " " " S 88 E 31 " "
 Land hilly & poor, timber W. Oak, hickory & beech,
 underg^d. Dogwood & Ironwood

February 9th 1820

North between Secs. 32 & 33, T10 N. R2 E. 2^d Mer.
 17.30 a W. Oak 18 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 6 in. diam. bearing S 25 E 32 lks. dist. of
 a do 12 " " " N 73 W 61 " "
 54.42 a Stream 125 lks. wide running S 70 W
 63.50 a Beech 18 in. diam. in the line
 70.80 a Stream 125 lks. wide S 20 E.
 80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which
 a W. Walnut 11 in. diam. bearing S 56 E 24 lks. dist. of
 an Elm 8 " " " S 85 W 10 lks. "
 Land part hilly & poor & part bottom, timber
 W. Oak, Hickory & Beech, underg^d. Dogwood & Ironwood?

East On Random between 28 & 33, T10 N. R2 E.
 5.50 a Stream 125 lks. wide N 85 W

W. N. R. 2 E. 2^d. Mer. Indiana

- 40.00 Let temp. q. Sec. post, from which
 40.00 the last mentioned stream 125 lks. wide S 70 W
 69.30 Same stream C. S. N 10 W.
 79.62 Intersected the N & S. line 60 lks. N. of Corner
 Land level by 2^d. rate, timber Beech, Sugar
 W Oak & Hickory, undergth Spruce
-

- West On true line between Sec. 28 & 33, T. 10 N. R. 2 E.
 39.81 Let q. Sec. post at average dist. ^{in creek} from which
 a Lycamore 17 in. dia. bray S 28 E 53 lks. dist. of
 a Sugar 15 " " " S 74 E 52 " "
 79.62 Sec. Corner
-

- North Between Sec. 28 & 29, T. 10 N. R. 2 E. 2^d. Mer.
 1.00 a stream 125 lks. wide run West
 18.50 a Brook 8 lks. " " S 30 W
 32.15 a Beech 12 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Sugar 12 in. dia. bray S 22 E 67 lks. dist. of
 a Ho 24 " " " N 84 W 20 " "
 41.50 a Brook 20 lks. wide S 5 W
 46.60 a Sugar 14 in. dia. in the line
 55.00 a Brook 20 lks. wide S 30 E
 57.50 Same 20 lks. " S 45 W
 60.00 Same 20 " " S 35 E
 65.50 Same 20 " " S 30 W
 80.00 Set a post cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 12 in. dia. bray S 56 W 26 lks. dist. of
 an Ash 28 " " " N 58 E 14 " "
 Land level by 2^d. rate, timber Beech, Sugar & Ash
-

- East On Random between Sec. 21 & 28, T. 10 N. R. 2 E.
 0.50 a Brook 20 lks. wide S 30 E.

W. N. R. D. E. T. Mer. Indiana

- 22.00 a Brook 6 lks. wide Cr. S 5 W
 40.00 Set temp. g. Sec. post
 47.80 a Brook 8 lks. wide Cr. S 10 E
 79.82 Intersected the N & S. line 160 lks. N. of Corner
 Land hilly & poor, timber W. Oak, Hickory & Beech,
 undergth Dogwood & Ironwood.

- West On true line between Sec. 21 & 28, T. 10 N. R. 2 E.
 39.91 Set g. Sec. post at average dist. from which
 a Beech 7 m. diam. bear N 41 E 18 lks. dist. of
 a B. Oak 30 " " " West 18 " "
 79.82 to Section Corner

- North Between Sec. 20 & 21, T. 10 N. R. 2 E.
 17.40 a B. Oak 40 m. diam. in the line
 40.00 Set the g. Sec. post, from which
 a Beech 5 m. diam. bear S 14 W 31 lks. dist. of
 a Sugar 7 " " " S 13 E 27 " "
 54.20 a Sugar 10 " " in the line
 59.50 a Brook 6 lks. wide S 40 E.
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 6 m. diam. bear N 47 W 27 lks. dist. of
 a Sugar 10 " " " S 42 E 7 " "
 Land uneven & poor, timber W & B. Oak, Sugar,
 & Beech, undergth Dogwood. Feb. 10. 1820

- East On Random between Sec. 16 & 21, T. 10 N. R. 2 E.
 7.50 a Brook 12 lks. wide Cr. South
 40.00 Set temp. g. Sec. post
 75.50 a Brook 12 lks. wide Cr. S 5 E.
 80.20 Intersected the N & S. line 24 lks. S. of Corner.
 Land hilly & poor, timber W & B. Oak & Hickory
 undergth Dogwood & Ironwood

T10 N. R2 E. 2^d Mer. Indiana

West On true line between Sec. 16 & 21, T10 N. R2 E.
 40.10 Set q^r. Sec. post at average dist. from which
 a Beech 13 mi. diam. bran N49 E 18 lks. dist. &
 an Ash 14 " " " S38 W 29 " "
 80.20 to Sec. Corner.

North Between Sec. 16 & 17, T10 N. R2 E.
 19.20 a Beech 6 mi. diam. in the line
 40.00 Set the q^r. Sec. post, from which
 a W. Oak 30 mi. diam. bran S81 E 16 lks. dist. &
 a Sugar 12 " " " N49 W 37 " "
 53.50 a W. Oak 11 " " in the line
 55.50 a Brook 8 lks. wide S5 E.
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Hickory 18 mi. diam. bran S3 E 42 lks. dist. &
 a Sugar 6 " " " N46 E 35 " "
 Land hilly Soil 2^d rate, timber W & B. Oak, Hick.
 & Beech, underg^d. Hogwood & Ironwood

East On Random between Sec. 9 & 16, T10 N. R2 E.
 40.00 Set temp^y. q^r. Sec. post
 80.34 Intersected the N & S. line 128 lks. S. of Corner
 Land, timber &c. same as on the east mile

West On true line between Sec. 9 & 16, T10 N. R2 E.
 40.17 Set q^r. Sec. post at average dist. from which
 a Sassafras 10 mi. diam. bran S7 E 43 lks. dist. &
 a Hogwood 6 " " " N21 W 40 " "
 80.34 to Sec. Corner

North Between Sec. 8 & 9, T10 N. R2 E.
 13.80 a Brook 6 lks. wide N70 W.
 18.33 a Beech 6 mi. diam. in the line

T10 N. R2 E. 2^d. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
an Elm 9 mi. diam. bears N60 E 22 lks. dist. of
a Sugar 7 " " " N83 W 30 " "
- 44.00 a Brook 6 lks. wide Cr. S10 W
- 72.40 a Beech 12 mi. diam. in the line
- 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a W. Oak 9 mi. diam. bears N21 W 17 lks. dist. of
a Beech 7 " " " S44 E 7 " "
Sand hilly Soil 2^d. Rate, timber W. Oak, Hickory
Beech & Sugar, undergth. Dogwood & Ironwood

- East On Random between Sec. 4 & 9, T10 N. R2 E.
22.40 a Brook 8 lks. wide Cr. S30 W
- 40.00 Set temp. q. Sec. post
- 80.28 Intersected the N & S. line 70 lks. S. of Corner.
Sand hilly & poor, timber W. & B. Oak & Hickory
undergth. Dogwood & Ironwood

- West On true line between Sec. 4 & 9, T10 N. R2 E.
40.14 Set q. Sec. post at average dist. from which
a Gum 15 mi. diam. bears S30 W 30 lks. dist. of
a Beech 11 " " " N51 W 32 " "
80.28 to Sec. Corner.

- North Between Sec. 4 & 5, T10 N. R2 E.
29.23 a Beech 5 mi. diam. in the line
- 40.00 Set the q. Sec. post, from which
a Beech 6 mi. diam. bears S26 E 40 lks. dist. of
a Do 13 " " " S74 W 10 " "
- 52.90 a Brook 6 lks. wide Cr. N10 W
- 57.73 a Beech 10 mi. diam. in the line
- 67.70 a Brook 8 lks. wide Cr. West
- 84.25 Intersected the N. boundary 48 lks. N. of post

W. P. E. 2nd Mer. Indiana

Set a post, Cor. to Sec. 4 & 5, from which
 a Beech 12 in. diam. bears S 84 1/2° W 19 lbs. dist. of
 a do 6 " " " N 77° W 22 " "
 Land hilly soil 2nd rate, timber W. Oak, Sugar
 & Hickory, undergth Logwood & Ironwood.

February 11th 1820

North Between Sec. 31 & 32, T10 N. R2 E.

24.88 a Sugar 6 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Beech 26 in. diam. bears S 20 E 46 lbs. dist. of

a do 12 " " " N 81° W 41 " "

46.75 a Brook 40 lbs. wide C. S. N 20° W

62.00 a Beech 10 in. diam. in the line

68.00 a Stream 125 lbs. wide S 60° W

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which

a Beech 4 in. diam. bears S 8 1/2° W 20 lbs. dist. of

a do 13 " " " North 40 " "

Unseen 2nd rate land, timber W. Oak, Sugar &
 Beech, undergth Logwood & Ironwood

East On Random betwⁿ Sec. 29 & 32, T10 N. R2 E.

20.00 a Stream 40 lbs. wide runs S 20 E

40.00 Set temp^y. q. Sec. post

75.00 a Stream 125 lbs. wide S 5 E.

79.32 Intersected the N & S. line 60 lbs. S. of Corner

Land unseen 2nd rate, timber W. Oak, Sugar and
 Beech, undergth Logwood, Ironwood & Spruce

West On true line between Sec. 29 & 32, T10 N. R2 E.

39.66 Set q. Sec. post at average dist. from which

a Sugar 8 in. diam. bears S 26 E 18 lbs. dist. of

a do 6 " " " N 39° W 19 " "

T10N R2E 2^d Mer. Indiana

79.32 to Sec. Corner

West Between Secs. 30 & 31, T10N, R2E

11.90 a Brook 7 lks. wide run S40 E

14.10 a Beech 5 m. dia. in the line

40.00 Set the q. Sec. post from which

a Beech 15 m. dia. bear S87 E 31 lks. dist. of

a Gum 26 " " " N72 W 21 " "

44.00 a Brook 8 lks. wide W. S10 E.

60.00 a Beech 10 m. dia. in the line

70.60 Intersected the W. boundary 105 lks. S. of Corner

Set a post Cor. to Secs. 30 & 31, from which

a Sugar 18 m. dia. bear N61 E 17 lks. dist. of

a H. Oak 16 " " " S39 1/2 W 49 " "

Unseen 2^d rate land, timber W. Oak, Sugar
& Beech, undergth dogwood & Ironwood

North Between Secs. 29 & 30, T10N, R2E.

38.00 a Beech 11 m. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 6 m. dia. bear S6 E 38 lks. dist. of

a Do 12 " " " N3 E 18 " "

54.22 a Sycamore 22 " " in the line

55.50 a stream 40 lks. wide run S40 E.

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which

a Beech 18 m. dia. bear N49 W 20 lks. dist. of

a Do 16 " " " S61 E 15 " "

Land, timber &c. Same as on the last mile

East On Random between Secs. 20 & 29, T10N, R2E.40.00 Set temp^y. q. Sec. post

67.70 a Brook 8 lks. wide W. S40 E.

79.30 Intersected the N & S. line 28 lks. N. of the corner

St. N. 102 E. 2^d. Mer. Indiana

Sand hilly Soil 2^d rate, timber W. Oak,
Sugar, Beech & Poplar, undgth. Hogn. & Ironw.

West On true line between Sec. 20 & 29, St. N. 102 E.
39.65 Set g. Sec. post at average dist. from which
a P. Oak 30 m. diam. bears N 61 E 27 lks. dist. &
a Do 36 " " " N 37 W 15 " "
79.30 to Sec. Corner Feb. 12th. 1820

West Between Sec. 19 & 30, St. N. 102 E.
9.00 a Stream 40 lks. wide S 15 E.
29.95 an Ash 18 m. diam. in the line
40.00 Set the g. Sec. post, from which
a Hickory 9 m. diam. bears N 20 1/2 E 45 lks. dist. &
a P. Oak 8 " " " S 47 W 9 " "
57.70 a Beech 10 " " in the line
66.00 a Brook 8 lks. wide runs S 5 E.
69.75 Intersected the W. boundary at the corner
Sand hilly Soil 2^d rate, timber W. P. Oak
Sugar & Beech, undgth. Ironw. & Hognwood

North Between Sec. 19 & 20, St. N. 102 E.
14.75 a Sugar 16 m. diam. in the line
20.00 a stream 40 lks. wide S 10 W
35.00 Same 40 " " S 50 E.
40.00 Set the g. Sec. post, from which
a Beech 6 m. diam. bears N 20 E 52 lks. dist. &
a Do 13 " " " N 44 W 33 " "
56.60 a Brook 8 lks. wide S 40 W
66.00 a Poplar 30 m. diam. in the line
66.50 a stream 40 lks. wide E. S. 45 W
79.50 Same 40 lks. " " S 20 E
80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
an Elm 5 m. diam. bears S 46 1/2 E 53 lks. dist. &

West N2E, 2nd Mer. Indiana

an Elm 18 in. diam. bearing N34E 26 lks. dist. of
Sand uneven & 2nd rate part bottom, timber
W. Oak, Poplar, Sugar, Beech & Ash, undg.th
Ironwood and Spice.

East On Random between Sec. 17 & 20, T10 N. R2 E.

40.00 At camp. of Sec. post

65.60 at Brook 6 lks. wide at N60 E.

79.38 Intersected the N of S. line 130 lks. N. of Corner.
Sand hilly & broken Soil 3rd rate, timber Poplar
Sugar, Beech & W. Oak, undg.th Iron & Logwood

West On true line between Sec. 17 & 20, T10 N. R2 E.

39.69 At q. Sec. post at average dist. from which
a Beech 12 in. diam. bearing S57W 28 lks. dist. of
a No 13 " " " N62W 29 " "

79.38 to Sec. Corner.

West - Between Sec. 18 & 19, T10 N. R2 E.

0.25 at Brook 40 lks. wide S20 E.

15.25 a Beech 8 in. diam. in the line

28.00 a Brook 20 lks. wide S50 E.

40.00 At the q. Sec. post, from which
a W. Oak 8 in. diam. bearing N45W 9 lks. dist. of
a No 18 " " " N11 E 18 " "

52.12 a Hickory 12 " " in the line

70.00 Intersected the west boundary 55 lks. N. of the corner
At a post Cor. to Sec. 18 & 19, from which
a Beech 9 in. diam. bearing S88 E 16 lks. dist. of
a No 7 " " " N36W 11 " "
Sand hilly soil 2nd rate, timber W. Oak, Hickory,
Beech & Sugar, undg.th Ironwood & Logwood.

S.W. N.E. 2^d Mer. Indiana

North Between Secs. 17 & 18, S.W. N.E.

- 13.29 a Beech 8 mi. dist. in the line
 16.50 a Brook 30 lks. wide N 45 W.
 40.00 an Elm 10 in. diam. of corner from which
 a Sugar 6 mi. dist. by N 2 E 30 lks. dist.
 46.70 a Brook 10 lks. wide E. S. E.
 64.25 a Hickory 16 mi. dist. in the line
 80.00 Set a post cor. to Secs. 7, 8, 17 & 18, from which
 a Beech 7 mi. dist. by N 34 E 26 lks. dist. &
 a Hickory 7 " " " N 24 W 21 " "
 Unimproved land timber W. Oak, Hickory, Beech,
 Sugar, undergrowth Logwood & Ironwood

East On Random between Secs. 8 & 17, S.W. N.E.

- 18.00 a Brook 7 lks. wide E. S. E.
 24.50 a do 25 lks. " " S 20 W.
 40.00 Set temp. of Sec. post
 80.00 Intersected the N & S. line 77 lks. N. of the corner.
 Land hilly 2^d rate, timber W. Oak, Hickory &
 Beech, undergrowth Logwood & Ironwood

West On true line between Secs. 8 & 17, S.W. N.E.

- 40.00 Set of Sec. post at average dist. from which
 a Beech 7 mi. dist. by N 5 W 22 lks. dist. &
 a W. Oak 14 " " " S 29 W 16 " "
 80.00 to Sec. Corner February 14th 1820

West Between Secs. 7 & 18, S.W. N.E.

- 18.30 a Beech 10 mi. dist. in the line
 25.30 a Brook 8 lks. wide E. S. W.
 33.00 a do 8 " " " S 85 E.
 40.00 Set the of Sec. post, from which
 a W. Oak 17 mi. dist. by East 30 lks. dist. &

T10 N. R2 E. 2^d. Mer. Indiana

a Beech 5 in. diam. bearing N 84° W 36 lbs. dist. of
 52.70 a Chestnut Oak 30 in. diam. in the line
 69.50 Intersected the N. boundary 100 lbs. N. of the Corner
 Set a post Cor. to Sec. 7 & 18, from which
 a Chestnut Oak 12 in. diam. bearing N 21° E 15 lbs. dist. of
 a Do 12 " " " N 16° W 10 " "
 Land hilly & poor, timber h. W. Oak, Gum & Beech
 underg. W. Oak, Dogwood & Ironwood

North Between Sec. 7 & 8, T10 N. R2 E.
 16.60 a Beech 18 in. diam. in the line
 40.00 at the q. Sec. post, from which
 a W. Oak 13 in. diam. bearing S 50° E 50 lbs. dist. of
 a Do 12 " " " N 60° W 17 " "
 54.80 a W. Oak 15 " " in the line
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a W. Oak 16 in. diam. bearing N 70 1/2° W 38 lbs. dist. of
 a Do 18 " " " S 72 1/2° E 30 " "
 Land hilly & poor, timber h. W. Oak, Hickory &
 Beech, underg. W. Oak, Dogwood & Ironwood

East On Random between Sec. 5 & 8, T10 N. R2 E.
 40.00 Set temp. q. Sec. post
 60.50 a Brook 8 lbs. wide Cr. S 70° W.
 80.00 Intersected the N & S. line 110 lbs. N. of the Corner
 Land timber &c. same as on the last mile

West On true line between Sec. 5 & 8, T10 N. R2 E.
 40.00 Set q. Sec. post at average dist. from which
 a W. Oak 30 in. diam. bearing N 54 1/2° E 40 lbs. dist. of
 a W. Oak 6 " " " S 54 1/2° W 36 " "
 80.00 to Sec. Corner.

N 10 N. 10 E. 2^d Mer. Indiana

West Between Sect. 6 & 7, T10 N. 10 E.
 13.60 a Hickory 12 in. dia. in the line
 40.00 At the q. Sec. post, from which
 a Chestnut Oak 12 in. dia. bear N 25 E 34 lks. dist. of
 a Do 6 " " " S 27 W 24 " "
 52.00 a Poplar 12 in. dia. in the line
 68.38 Intersected the N. boundary 126 lks. N. of post.
 At a post Cor. to Sect. 6 & 7, from which
 a P. Oak 7 in. dia. bear N 7 E 41 lks. dist. of
 a Do 7 " " " S 2 1/2 E 19 " "
 Land very hilly poor & thickets, timber W & C. Oak,
 Hickory, undgth W. Oak, hickory & hornwood

North Between Sect. 5 & 6, T10 N. 10 E.
 25.07 a W. Oak 16 in. dia. in the line
 40.00 At the q. Sec. post, from which
 a Chestnut Oak 9 in. dia. bear N 45 E 44 lks. dist. of
 a Do 12 " " " S 18 W 27 " "
 52.40 a Beech 15 in. dia. in the line
 66.00 a Brook - lks. wide C. S. N 85 W
 82.50 Intersected the N. boundary 600 lks. W. of post.
 At a post Cor. to Sect. 5 & 6, from which
 a W. Oak 6 in. dia. bear S 74 E 3 lks. dist. of
 a P. Oak 8 " " " N 83 W 4 " "
 Land hilly & poor, timber W & P. Oak, Hickory &
 Beech, undgth W. Oak, hickory, dogwood & hornwood
 Surveyed by James Hedges, Dep. Sur.

I Certify that the foregoing transcript of field notes of
Township N: 10 N. Range N: 2 East 2: Mer. Indiana
has been Comp^d with the original notes in this office and
found to be Correct.

Surveyor General's Office
Cincinnati. March 8th 1843

C. P. Leair
Sur. Genl